Datasheet



Home Security Wi-Fi Camera Model: TC60





//Highlight

Motion Detection and Notifications

Receive a notification whenever your camera detects movement and check it in detail through the Tapo app. Personalize your security by setting motion detection zones to only notify you of what happens in areas that you choose.

Features



1080p High-Definition

Provides greater sharpness and clarity.



Live View

Always keep an eye on what matters most to you—anytime, anywhere.



Privacy Mode

Temporarily shut down surveillance with a tap in the app.



Two-Way Audio

30 ft in total darkness.

Night Vision

Communicate in real time through a built-in microphone and speaker.

Provides a visual distance of up to

Sharing

Share interesting and funny videos to everyone on social media.



Local Storage

Store up to 128 GB of video on a microSD card[†].



Alarm System

Triggers lights and sounds as an alarm when motion is detected.

Easy Setup



Follow in-app instructions to

easily set up within minutes.



Specifications

Camera

- · Image Sensor: 1/3"
- · Resolution: 1080p Full HD
- Night Vision: 850 nm IR LED up to 30 ft
- · Lens: F/NO: 2.0; Focal Length: 3.3mm
- Field of View: 115°

Audio

- · Audio Communication: 2-way audio
- · Audio Input & Output: Built-in microphone and speaker

Video

- · Video Compression: H.264
- · Frame Rate: 15fps
- · Video Streaming: 1080p
- · Audio Compression: G.711

Activity Notifications

- Input Trigger: Motion detection
- Output Notification: Push notification

Hardware

- · Button: RESET button
- · Indicator LED: System LED
- · Adapter Input: 100-240VAC, 50/60Hz, 0.3A
- · Adapter Output: 9.0V/0.6A
- External Storage: microSD card slot (Supports 8 GB - 128 GB)
- Dimensions (W x D x H): 2.7 x 2.1 x 3.9 in. (67.6 x 54.6 x 98.9 mm)

Specifications

Network

- · Wireless Rate:
 - 11Mbps(802.11b)
 - 54Mbps(802.11g)
 - 72.2Mbps(802.11n)
- · Frequency: 2.4GHz
- · Wireless Security: WPA/WPA2-PSK
- · Security: 128 bit AES encryption with SSL/TLS
- Protocol: TCP/IP, DHCP, ARP, ICMP , DNS, NTP, HTTP, HTTPS, UDP, ONVIF, RTSP



Others

- · Certifications: CE, NTRA, RoHS
- Package Contents:
- TC60 Camera
- DC Power Adapter
- Mounting Screws
- Mounting Template
- Quick Start Guide
- · Operating Temperature: 0 °C \sim 40 °C (32°F \sim 104°F)
- Storage Temperature: -40°C~70°C (-40°F~158°F)
- Operating Humidity: 10%~90%RH, Non-condensing
- Storage Humidity: 5%~90%RH, Non-condensing

[†]The SD card is not included in the package.

Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders. ©2021 TP-Link