

K1 Max PEI Build Plate



Excellent Heat
Resistance



High Strength &
Wear Resistance



Easy Model
Removal

B Plate

Please apply glue before print

B Plate



Warning hot surface



CREALITY



Warning hot surface





Premium PEI Powder Coating

With heat and wear-resistant, frosted PEI powder coating, the plate surface is not easy to get scratched or damaged.



Ultra-high Adhesion, More Stable Molding

The black textured PEI has high adhesion to prevent the model from warping while printing, whether at high or low temperatures.




Exceptional Flatness Easy Model Removal

The selected spring steel is made with high flatness and good elasticity, ensuring easy model removal. It won't be deformed after being bent repeatedly.




Precise Positioning for Quicker Application

Dual handles and positioning hole design make it easier to install and use.



Strong Magnetic Force Not Easy to Dislocate

Strong magnetic stickers help it maintain high adhesion at high temperatures, which ensures better print stability.



Wide Compatibility

Applicable to most materials such as PLA, ABS, ASA, PETG, TPU, PC, PA, etc.



PLA



ABS



ASA



PETG




TPU



PC



PA



Product Specifications

Product Name

PEI Build Plate

Compatible Model

Compatible with FDM printers
with a platform size of 315×310

Size

315×310mm