

- **Style: Simple**
- **Size: Mid Tower supports up to E-ATX MB**
- **Material: Steel & Tempered Glass**

Main Features

- **Connection** : Front I/O ports with 1 x USB 3.0
- **Expansion** : 2+2 drive bays with drive trays design
- **Support** : Supports AIO cooling solutions



Specification

Model	H570 TG	H570 TG Snow
P/N	CA-1T9-00M1WN-00	CA-1T9-00M6WN-00
Case Type	Mid Tower	
Chassis Dimension (H*W*D)	487 x 216 x 463.6 mm (19.2 x 8.5 x 18.3 inch)	
Net Weight	7.65 kg / 16.87 lbs.	
Side Panel	4mm Tempered Glass x 1	
Color	Black	White
Material	SPCC	
Cooling System	Front(intake): 120 x 120 x 25 mm ARGB fan (1000rpm, 27.2 dBA) x 3 Rear(exhaust): 120 x 120 x 25 mm standard fan (1100rpm, 22.5 dBA) x 1	
Drive Bays	2 x 3.5", 2 x 2.5" or 4 x 2.5"	
Expansion Slots	7	
Motherboards	6.7" x 6.7" (Mini ITX), 9.6" x 9.6" (Micro ATX), 12" x 9.6" (ATX), 12" x 13"(E-ATX)	
I/O Port	USB 3.0 x 1, USB 2.0 x 2, HD Audio x 1, LED button x 1	
PSU	Standard PS2 PSU (optional)	
Fan Support	Front: 3 x 120mm, 2 x 120mm, 1 x 120mm 3 x 140mm, 2 x 140mm, 1 x 140mm 2 x 200mm, 1 x 200mm Top: 3 x 120mm, 2 x 120mm, 1 x 120mm, 2 x 140mm, 1 x 140mm Rear: 1 x 120mm	
Radiator Support	Front: 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 280mm, 1 x 140mm Top: 1 x 360mm, 1 x 240mm, 1 x 120mm 1 x 280mm, 1 x 140mm Rear: 1 x 120mm	
Clearance	CPU cooler height limitation: 160mm VGA length limitation: 375mm PSU length limitation: 180mm	

Packaging

Package Information	H570 TG	H570 TG Snow
EAN Code	4713227529419	4713227529433
UPC Code	841163079423	841163079447
N.W	7.65 kg / 16.87 lbs.	
G.W	9.1 kg / 20.06 lbs.	
Carton Size (L x W x H)	557 x 291 x 546 mm / 21.9 x 11.5 x 21.5 inch	
Cuft	3.12	
Container	w/o pallet	
20'	310 pcs	
40'	640 pcs	
40' HQ	750 pcs	



Appearance – Black version




Angle view



Left Side view



Front view



Right Side view



Internal Structure



Rear view



Top view




Bottom view

Appearance – Snow version




Angle view



Left Side view



Front view



Right Side view




Internal Structure



Rear view



Top view



Bottom view

Clearance



Maximum support up to 120mm fan x 7

Maximum radiator support up to 360mm at front



Tempered Glass Window x 1

Structure (External)



USB 3.0x 1


USB 2.0 x 2

HD Audio



Top filter

Structure (Internal)



Full length power cover



Preinstalled
120mm rear fan

Pre-installed ARGB Fans



Pre-installed three hydraulic bearing 120mm ARGB front fans which can effectively lower the operation noise and enhance the thermal efficiency.



SPEC for Case ARGB fans

- Fan Speed: 1000 +/- 10% RPM
- Fan Airflow: 45 CFM
- Fan Air Pressure: 0.82 mm-H₂O
- Fan Noise Level: 27.2 dBA
- Fan Bearing: Hydraulic bearing

ARGB lighting Control Instruction


I/O Port



- Wave Mode** Mode 1
- Flow Mode** Mode 2
- RGB Lighting** Mode 3 (Single Color)
- Radar Mode** Mode 4~10
(Red, Yellow, Green, Cyan, Blue, White, Purple)
- Breath Mode** Mode 11~18
(RGB, Red, Yellow, Green, Cyan, Blue, White, Purple)
- Full Lighted Mode** Mode 19
- Single Color** Mode 20~26
(Red, Yellow, Green, Cyan, Blue, White, Purple)
- Light Off** Mode 27


※ Long press on RGB button for 3 seconds, fan will blink twice which now are controlled by MB software. And vice versa.

How to connect MB



Compatibility List

Fan Compatibility List			
	120mm	140mm	200mm
Front	3	3	2
Top	3	2	-
Rear	1	-	-



All-in-One Compatibility

All-in-One Compatibility List						
	120mm	240mm	360mm	140mm	280mm	420mm
Front	●	●	●	●	●	-
Right	●	●	●	●	●	-
Rear	●	-	-	-	-	-

